

*Sioux Steel Company...Family-Owned Since 1918*



**SIOUX STEEL COMPANY**  
**LIFETIME**  
**GUARANTEED**  
**GATES**

*You can trust a Lifetime Warranty from a company  
that's been around for a lifetime.*



**HANGING A SIOUX GATE IS LIKE**  
**PLANTING A**  
**TREE...**  
**YOU DO IT FOR THE NEXT GENERATION**

"The Sioux gates my dad bought  
are now 40 years old. I won't have  
to replace them and I doubt my  
sons will either."

– **Steve Mowry**  
Ma & Pa Angus

# SIoux STEEL COMPANY VICTORY GATES



**58,000  
PSI**



**16  
GAUGE**

MODEL	Gauge	Lengths	Height	Bars
2" Victory	16	4' - 20'	50"	6
2" Victory Tall	16	4' - 18'	62"	7



With heavy duty Z-bar vertical braces, Victory gates are our heaviest and most durable line offered at Sioux Steel Company. Rounded tops and Prairie Gold powder coating make this one of our most popular livestock products and a must have on your farm or ranch.

- Our heaviest, most durable gate.
- Prairie gold powder coated.
- Heavy-duty Z-bar vertical brace.
- Round top.

## 2" VICTORY GATE



**16**  
GAUGE


**6**  
BARS

**50**  
INCHES HIGH

VICTORY 2" GATES	LENGTH	WEIGHT
SS450STKLH	4'	38 lbs.
SS650STKLH	6'	54 lbs.
SS850STKLH	8'	79 lbs.
SS1050STKLH	10'	90 lbs.
SS1250STKLH	12'	106 lbs.
SS1450STKLH	14'	126 lbs.
SS1650STKLH	16'	137 lbs.
SS1850STKLH	18'	165 lbs.
SS2050STKLH	20'	181 lbs.

**Note:** Victory Gates are sold less hinges. Order hinges separately.  
All specifications are subject to change or improvement without notice.

## 2" VICTORY TALL GATE



**16**  
GAUGE

**7**  
BARS

**62**  
INCHES HIGH

VICTORY 2" TALL GATES	LENGTH	WEIGHT
S164123	4'	46 lbs.
S164125	6'	82 lbs.
S164127	8'	106 lbs.
S164096	10'	114 lbs.
S162096	12'	136 lbs.
S162097	14'	164 lbs.
S162926	16'	186 lbs.
S179315PG	18'	199 lbs.

**Note:** Victory Gates are sold less hinges. Order hinges separately.  
All specifications are subject to change or improvement without notice.



**1-877-782-3073**

[www.siouxsteel.com](http://www.siouxsteel.com)  
[info@siouxsteel.com](mailto:info@siouxsteel.com)

Tom LaFaive, retired ranch manager at Bad River Ranch in Ft. Pierre, SD,  
managed over 7,000 head of buffalo. The ranch has over 1,400 Sioux  
Steel Victory Gates on thousands of acres of land.





# SIoux STEEL COMPANY

# HIQUAL GATES



**58,000  
PSI**



**16  
GAUGE**

MODEL	Gauge	Lengths	Height	Bars
2" Heavy Duty	16	4' - 20'	48"	5
2" Cattleman's	16	8' - 16'	52"	6
2" Super Six	16	8' - 16'	59"	6



All Sioux Steel gates feature a powder coated finish in which premium paint is baked at high temperatures onto the metal of the gate, thus insuring a long-lasting protective barrier against the elements.

- A high quality, working gate.
- Brown powder coated with square tops.
- Notched horizontal & center verticals.
- Include welded on collar hinges, excluding Super Six Gate.

## 2" HEAVY DUTY GATE



**16**  
GAUGE

**5**  
BARS

**48**  
INCHES HIGH

2" HEAVY DUTY	LENGTH	WEIGHT
SHQGTHD04	4'	43 lbs.
SHQGTHD06	6'	57 lbs.
SHQGTHD08	8'	74 lbs.
SHQGTHD10	10'	87 lbs.
SHQGTHD12	12'	100 lbs.
SHQGTHD14	14'	117 lbs.
SHQGTHD16	16'	131 lbs.
SHQGTHD18	18'	144 lbs.
SHQGTHD20	20'	161 lbs.

### SUGGESTED APPLICATIONS:

- Confinement of Cows, Calves and Yearlings.
- Pastures
- Driveways
- Stallions and Mares

## 2" CATTLEMAN'S GATE



**16**  
GAUGE

**6**  
BARS

**52**  
INCHES HIGH

2" CATTLEMAN'S	LENGTH	WEIGHT
SHQGTCM08	8'	86 lbs.
SHQGTCM10	10'	114 lbs.
SHQGTCM12	12'	121 lbs.
SHQGTCM14	14'	139 lbs.
SHQGTCM16	16'	157 lbs.

### SUGGESTED APPLICATIONS:

- Bull Pens
- Heavy Confinement
- Feed Lots
- Sale Barns
- Calving Barns

## 2" SUPER SIX GATE



**16**  
GAUGE

**6**  
BARS

**59**  
INCHES HIGH

2" SUPER SIX	LENGTH	WEIGHT
SHQGTSS08	8'	102 lbs.
SHQGTSS10	10'	127 lbs.
SHQGTSS12	12'	148 lbs.
SHQGTSS14	14'	169 lbs.
SHQGTSS16	16'	193 lbs.

\* Hinges sold separately.

### SUGGESTED APPLICATIONS:

- Rodeo Arenas
- Bison Pens
- Elk Pens
- Bull Pens
- Stallion Pens
- Crowding Areas
- Heavy Confinement



HEAVY DUTY HINGE	DESCRIPTION	WEIGHT
<b>S168760</b>	2" Adjustable Heavy Duty Plated Hinge	5.7 lbs.
<b>S174875</b>	Bucket Of (8) Hinges	49 lbs.

- Largest & heaviest hinge in the market.
- Heavy-duty hinge.
- 1" dia. x 12" threaded rod.
- 2 piece clamp with 1/2" hardware.



ADJUSTABLE HINGE	DESCRIPTION	WEIGHT
<b>S168750</b>	2" Adjustable Standard Plated Hinge	3.5 lbs.
<b>S172795</b>	Bucket Of (12) Hinges	45 lbs.

- Allows gate to be moved up or down.
- Takes tough wear. Swings 270°.
- 3/4" dia. x 12" threaded rod.
- 2 piece clamp and solid steel hinge pin.



J-BOLT W/ 2" CLAMP	DESCRIPTION	WEIGHT
<b>S173781</b>	Hinge Kit: J-Bolt w/2" Clamp Plated	3.2 lbs.
<b>S174874</b>	Bucket Of (12) Hinges	42 lbs.

- Adjustable in and out on bolt.
- Adjustable up and down on gate.
- 3/4" dia. x 12" threaded rod.
- 2" and 1 5/8" available.



J-BOLT W/ 1.5-1.66" CLAMP	DESCRIPTION	WEIGHT
<b>S173782</b>	Hinge Kit: J-Bolt w/1.5-1.66" Clamp Plated	2.7 lbs.
<b>S174873</b>	Bucket Of (12) Hinges	35 lbs.



SUPER SIX HINGE	DESCRIPTION	WEIGHT
<b>S202657BRN</b>	Heavy Duty Hinge Bolt with Pin	3.5 lbs.
<b>S202667BRN</b>	Heavy Duty Hinge Bolt	4.3 lbs.



WALL MOUNT	DESCRIPTION	WEIGHT
<b>S155755</b>	Hinge Kit - Wall Mount Bracket Plate is 4.5" x 4.5" x .25" thick. Plate to hinge center is 5.141".	3.3 lbs.



GATE LATCH	DESCRIPTION	WEIGHT
<b>SGL16103</b>	2-Way Gate Latch	4 lbs.



WHEEL KIT	DESCRIPTION	WEIGHT
<b>SGL16106</b>	8" Wheel Kit	3.5 lbs.



GATE ANCHOR	DESCRIPTION	WEIGHT
<b>SGL16102</b>	Gate Anchor	3.9 lbs.

The Texas Fence Fixer works with barbed wire, electric fence wire, horse fencing or net wire fence. Durable and comes with a lifetime replacement guarantee.



FENCE FIXER	DESCRIPTION	WEIGHT
<b>STXFFPG</b>	Texas Fence Fixer	8 lbs.

Easily latch or unlatch gates while on horseback or on foot. Can be installed to wood or gate tubing. Versatile latch option for your operation.



GATE LATCH	DESCRIPTION	WEIGHT
<b>SSRGLBRN</b>	Rancher Gate Latch	7 lbs.

Another great option for a gate latch when on horseback. Heavy-duty with easy operation.

Height: 40.25"  
Width: 26"



GATE LATCH	DESCRIPTION	WEIGHT
<b>SSCBLPG</b>	Cowboy Gate Latch	18 lbs.

\* Product shown ships in Victory Prairie Gold color.

Sioux Steel Company (the "Company") warrants to the original purchaser that the livestock gates labeled through the Company's "Lifetime Guarantee Gate Program" (the "Gates") are free from defects in material and workmanship for the life of the original purchaser. No individual or entity, including the selling dealer, is authorized to make any statements or assume for the Company any liability relating to or arising

from the product or its use that varies from the express terms of the Limited Lifetime Warranty. EXCLUSIONS: The Limited Lifetime Warranty does not cover and the Company is not responsible for: (i) modification or alteration of the Gates; (ii) cosmetic damage, normal wear and tear or damage that does not hinder the functionality of the Gates, including fading of the color; (iii) damage caused by use for purposes

# LIFETIME GATE WARRANTY

If a gate is ever damaged so that it cannot be used for its intended purpose, we will repair or replace at no charge to you, our customer. If a gate is hit with a loader or backed into with a truck/tractor, the gate has to be damaged to the point that it cannot be used as a gate to hold cattle, sheep, hogs or any other livestock. This is not a scratch or dent cosmetic warranty, it's a pass or fail warranty as to the functionality of the gate.

Call us at **1-877-782-3073** today to learn more.

## THIRD GENERATION FAMILY USING SIOUX STEEL GATES

This 3 generation, family-owned operation owns an astounding 287 Sioux gates and panels. When asked why they buy Sioux gates, their answer was:

"Strength, reliability, and their local dealer who cares about their operation."



inconsistent with its intended purpose or design; (iv) damage due to use of any parts or components not supplied by the Company. The obligation of the Company is limited to repairing or replacing at its factory any part or component determined to its satisfaction to be defective, and all costs, expenses including transportation, and any fees are the responsibility of the customer. The customer must notify the

Company of a claim by registered or certified mail within (30) days after discovery or the claim shall be deemed waived at Sioux Steel Company, 196 ½ E. 6th Street, Sioux Falls, SD 57104. This information is not intended to be the entire Limited Lifetime Warranty for the Gates and is for informational purposes only. Please see the Company's New Product Warranty for the full Limited Lifetime Warranty.





PO Box 1265 • Sioux Falls, SD 57101 • 1-877-782-3073  
[www.siouxsteel.com](http://www.siouxsteel.com) • [info@siouxsteel.com](mailto:info@siouxsteel.com)

